

Mobile Food and Push Cart Plan Review Application (rev 12/2019)

Nan	ne:				
	ling Address:				
City	, State, Zip:				
Pho	one:Cell:				
E-m	nail Address:				
Nan	me of Proposed Unit:				
 Nan	ne of Legal Ownership:				
Тур	e of Ownership; association, corporation, individual, partnership, or other legal entity:				
Nan	nes and Titles of Persons in Legal Ownership:				
Leg	al Ownership Address:				
City	: State Zip Code:				
	omplete applications will delay the review and processing.				
	n Review Submittal Checklist: following items must be included with this application.				
	Completed Application and Durham County Shared-Use Kitchen / Commissary agreement				
	A \$200 plan review application fee. The review fee does not guarantee a permit. Health Department review must be completed for the approval and permitting of Shared-Use Kitchen / Commissary spaces and construction of the Mobile Unit / Pushcart.				
	Plans of the unit drawn to scale, including: equipment locations, a plan and profile view, plumbing schematic (plumbing lines, water heater, potable water tank, water pump, sewer vent, wastewater holding tank, etc). A plumbing schematic is not required for a pushcart.				
	Manufacturer's specification sheets for all proposed food service equipment				
	Menu (including all food, drinks and condiments)				
	Operational Schedule - List of proposed locations and times of operation.				
	Any menu or equipment changes after the date of this application must be submitted in writing for review and approval by this office.				





I. What Type of Construction Materials are Used:

Fo	<u> Pushcart Only:</u>
Pu	shcart body (If prefabricated unit, provide make, model number, and specifications)
Loc	cation and description of protected storage location for pushcart when not in use:
Fo	· Mobile Food Unit Only:
Flo	ors:Walls:
Ce	lings:Countertops:
Lig	ht Shields:
II.	List all food service equipment and attach manufacturers' specification sheets: (List for push cart where applicable)
1. a.	Cooking equipment (fryers, grills, etc):
b.	-
c.	
2. a.	Cold holding equipment (refrigerators, freezers, etc):
b.	
c.	
3. a.	Hot holding equipment (steam tables, hot lamps, etc):
b.	
c.	
4.	Stainless steel sink(s) (List for push cart where applicable):
	Size of vat (Length x Width x Depth)Xinches
	Size of drain boards (Length x Width)Xinches





Food Preparation Procedures						
Will Time as a Public Health Con (3-501.19 Time as a Public Healt	•	□YES	□NO			
Will beef, eggs, fish, lamb, milk, p seafood or shellfish be served or (3-603.11 Consumer Advisory)		☐YES (⊐NO			
Will any menu items be package	d for delivery?	□YES	□NO			
Specialized Processes						
The applicant will need to submit the HACCP plan & Variance Request to the NC Food Code Variance Committee for approval for specialized food process to be conducted in your food service establishment. (8-103.10 Modifications & Waivers) Request an application from the State Variance Committee by email: ncvariancecommittee@dhhs.nc.gov						
Will specialized food processes b	e conducted?	□YES	□NO			
•	ired for acidification (sushi rice), re oking, sprouting beans or drying p		xygen			
<u>Check</u> any specialized process	ses that will take place:					
Curing () Smoking () Acidificat	ion()Sprouting Beans()Dehyd	lrating				
() Sous vide () Reduced Oxyge	en Packaging (eg: ROP, canning,	Vacuum				
packaging) () Other ()						
Check categories of Potentially prepared and served.	/ Hazardous Foods (PHF's) to be	e handle	d,			
☐Thin meats, poultry, fish, eggs	(hamburger, sliced meats, fillets)					
☐Thick meats, whole poultry	(roast beef, whole turkey, chicker	ns, and h	ams)			
☐Cold processed food (salads, sandwiches, vegetables)						



☐Hot processed foods

□Bakery goods

(soups, stews, rice/noodles, gravy, chowders)

(pies, custards, cream fillings & toppings)



FOOD SUPPLIES: (Ingredient List)

List all foods & ingredients used in the food service establishment.

In Chart A: Include all condiments, sauces, dry goods, cheeses, herbs, produce, breads, pasta, soups, etc.

In Chart B: Include all meats, seafood and other proteins.

Check all that apply

Chart A:										
Produce / Dairy / Dry Foods Sauces / Soups	Supplier / Vendor	Refrigerated	Frozen	Dry	Canned	Bagged	Raw/Fresh	Pre-cooked	Whole	Pre-portioned





Check all that apply

Спеск ан тпат арргу	T									
Check all that apply Chart B: Proteins (Meats & Seafood)	Supplier / Vendor	Refrigerated	Frozen	Dry	Canned	Bagged	Raw	Pre-cooked	Whole	Pre-portioned
			L	L	L					



List all menu items check all processes that apply

List all menu items check all processes that apply								
Dish / Entree	Prepared Day of service	Prepared beforehand	Ready-to-Eat	Ready-to- Cook	Cooled	Held Hot	Held Cold	Reheated



Cooling at Shared-Use Kitchen / Commissary No Cooling Should Occur on Mobile Unit

Check the appropriate box to indicate how food will be cooled rapidly from above 135° to below 41° after being cooked.

Check all that apply						
Cooling Process	Meats	Seafood	Poultry	Vegetables	Soups	Sauce
In the refrigerator Using Shallow Pans						
In an Ice Bath						
Using a Blast Chiller						

KITCHEN EQUIPMENT FOR FOOD STORAGE

	Number of units	Amount of space for catering: number of shelves or ft ²
Walk-in Cooler		
Walk-in Freezer		
Reach-ins		
Alto-Shams		
Hot Holding Cabinets		
Shelving in Dry Storage		
Purchasing food daily Yes	No	
yes, the purchase receipts	s must be maintaine	d for review during inspection.

Undocumented food items can be discarded during inspections.





Wastewater and potable water equipment

(List for push cart where applicable)

	Permanently mounted wastewater holding tank	
	Size (Length x Width x Depth):Xinches	
	Capacity(gallons),	
	Construction material:	
	NOTE: waste water tank must be at least 15% larger than the fresh water tank	
	2 Potoble water helding topk	
	2. Potable water holding tank	
	Size (Length x Width x Depth): X inches	
	Capacity(gallons),	
	Construction material:	
	3. Type of sewer vent:	
	□ Vents to exterior (vent protected from rain/vermin) OR	
	□ Vents to interior by an air admittance valve	
	4. Attach manufacturer's specification sheet for water pump	
	/ macrimanatare o operimenter en estrer trater parrip	
	5. Water heater specifications: On-Demand Tank type	
	5. Water fleater specifications. On-Demand rank type	
	Size in gallons	
	Gas (btu)	
	Electric (kw)	
I+	is in the best interest for the safety the operator to have the LP gas lines inspected by	tha
	Department of Agriculture LP gas standards division.	.116
	The LP gas standards office may be contacted at 919-707-3225	





Mobile Food and Push Cart Plan Review Application Operator Understands and Agrees to the following:

I understand and certify that the information provided in this application is accurate.

- ✓ Any deviation or variance from the information contained in this application may void the food service permit for the unit,
- ✓ Multiple construction compliance inspections may be required prior to permitting,
- ✓ The food service permit will not be issued until the unit is in compliance with Rules Governing the Sanitation of Food Service Establishments 15A NCAC 18A .2600
- ✓ The operator must comply with all other applicable code, law, or regulations imposed by other jurisdictions.
- ✓ An accurate operational schedule must be submitted to the Department each month.
- ✓ Failure to submit accurate monthly operational schedule can result in permit suspension or revocation.

Title 15A North Carolina Administrative Code 18A .2600 "Rules Governing the Sanitation of Food Service Establishments" specifies in section .2670 (d) Pushcarts and mobile food units shall operate in conjunction with a permitted restaurant and shall report at least daily to the restaurant for supplies, cleaning, and servicing.

North Carolina food rules can be found at http://ehs.ncpublichealth.com/rules.htm

Health Department evaluation of shared- use kitchen / Commissary spaces and construction of the Mobile Unit / Pushcart are subject to this review process, approval and permitting.

Signature:	Date:	
Print Name:	Date:	





SHARED-USE KITCHEN / COMMISSARY AGREEMENT

A Shared-Use Kitchen / Commissary is a permitted food service establishment or restaurant that provides shared use kitchen facilities for mobile food units, push carts and caterers. This Shared-Use Kitchen / Commissary Agreement is part of the plan review approval and Health Department approval is required for shared use kitchen permits. Loss of commissary without prior change request submittal by the operator will result in permit revocation and require a new plan review application.

	Completed	by the food	service o	operator:
Select: Mobile Food Unit _	_ Pushcart _	Caterer	New	Change request
Name of food service:				
Operator Name:				
Mailing Address:				
Email:				
Phone Number:		_Cell Numbe	er:	
Completed by the	permittee or	owner of th	e Shared	-Use Kitchen / Commissary:
the Shared-Use Kitchen / C	Commissary fo the food servi	r the food se ce operator to	rvice ope comply	cility noted below, agrees to provide rator named above. Management with all laws and rules could result in sary permit.
Proposed commissary acc	cess time(s):			
Days	Hours	,		
Management unde	rstands and a	agrees to pr	ovide the	e following for each approval:
Labelling for the designated A designated protected are Designated spaces for refriguse of the utensil sink to was An exterior wastewater collar A protected connection to the A method to track Shared-Use Kitchen / Comand separation of time and	a for food and geration / freezonships. ash utensils. ection system he potable wash Jse Kitchen / Granningsary access	utensil stora zer and dry s for disposal der supply. Commissary as as needed	ge. torage are of wastew usage, si for the op	eas. vater.
Shared-Use Kitchen / Com	, ,			
Printed Name of Manager:				
Signature of Manager:				





Date _____

Mobile Food and Push Cart Plan Review Application

Mobile Unit / Pushcart Operating Schedule

<u>Unidad / push móvil cesta Horario de funcionamiento</u>

Provide an updated operating schedule to the Durham County Health Department once a month. Proporcionar un programa operativo actualizado al Departamento de Salud del Condado de Durham, una vez al mes.

Email to: healthinspector@dconc.gov

Mobile Food Unit Name / Mobile Nombre								
Operator Name / Nombre del operador								
Operator Email / operador Email								
Billing Address / Dirección de Facturación								
Contact phone / teléfono de contacto								
Commissary Na	me / Comisario N	ombre						
Commissary Ad	dress / Comisario	Dirección						
☐ I plan	on operating at	the same loca	tion. Planeo operar en el mismo luga	r.				
Fixed Dates	Commissary	Times of	Operating Location					
	/Shared	Operation	Street and City					
	Kitchen Times							
Example: Mon- Fri	11-2	3 pm-6	The Brewery 2414 Alston Ave,					
			Darnam					





Mobile Food and Push Cart Plan Review Application

Mobile Unit / Pushcart Operating Schedule


I plan on operating at multiple locations or on a route. Planeo operar en múltiples ubicaciones o en una ruta.

the approxing lugares dono	nate time and dates,	if applicable tha rabaja en una ri	perating on a fixed route or in multiple location at you will operate at each location. Listar todo uta fija o en múltiples ubicaciones indican el ti en cada lugar.	os los	
Dates	Commissary	Times of	Operating Location		
	Shared-Use Kitchen Times	Operation	Street and City		
Example:	11am – 2pm	3pm - 6pm			
1,3, 15			The Brewery 2414 Alston Ave, Durham		
Operator Signature:					



Ejample

1 Block= 1 Foot



4164 E. Conant St. Long Beach, CA 90 Tet. 310-900-1000 Fex. 310-900-1077 www.turboering.com

DULCE CAFE & GELATO Model #

Sandwich / Salad Unit - Drawers

Fred Pres Tables Super Delays Series

Model: TST-485D-02



Each drawer accommodates up to 6" deep stath (1/6) state pasts (drawer pans pot instuded)

___ FEATURES & BENEFITS ==_

- Affi-Cleaning condenser device Entertained according to the condense of the condense connect to the limited according to date in the condenses connect to the limited or device of professors. Refrigations on community with they make a seri level of accordination. At some post, when they are over the lent performance down guidely reading to the large to the disposal or the condense of the condense condenses device on the professor in the professor and prevent upon failure to who reading the condenses down and prevent segment failure by a whorefacility on the professor does not provide upon failure by a whorefacility.
- Hot gas condensate system Consistent system system Through Tutto Aris creative Innovation, the condensate system surplies have been appaidly traded for resist contraint. The not only languages efficiency without the field of reinformal testage from corrector, but stop presents the overflow of condensate water.
- Stainless steel cabinet construction

- 9-1/2" deep, 1/2" thick cutting board included with convenient side rail
- Insulated pan cover
- Sturdy, clean stafinless steel shelving

 COUNTRIST CONSTRUCTION

 Studen are the most important part of deardance, on they come in deed control this load. After a wide, PVO coded wife shakes may peel, rest and lead to unsensitively conditions. Only the Furto AV Super Ductice series unionly provides satisface side shakes;
- High-density polyurethane insulation.
 The entire cobier sourcure and solid doors are learned implace bigs density, CPC free polyurethane insulation.
- Refrigerator holds 33°F ~ 39°F for the best in food preservation



CU.FT. Shelves Drawers 481# x 30 x 37 12 1/3 ż 12 TST-48SD-DQ

Sandwich / Salad Unit - Drawers

PLAN VIEW

Model : TST-48SD-02

ELECTRICAL DATA	149			
VoRage	115/60/1			
Plug Type	Ø NEMA 5-15P			
Full Load Amperes	6.6			
Compressor HP	1/3			
Cord Length (R.)	9			
Refrigorant	Fr 134A			
DIMENSIONAL DATA				
Ext. Langth Oversit (In.)	481A (1226mm)			
Ext. Depth Oversit (in.)*	30 (782mm)			
Ext. Height Overall (In.)	37 (940mm)			
# of Doors	1 1			
# of Drawers	2			
# of Shelves	1			
# of Paris	12			
Not Capably (cu. ft.)	12			
Not Wolgh! (Ibs.)	227			
Gross Weight (fos.)	249			
Shelf Size (In.)	21 x 17			
A Company	Land and los			

- WARRANTY: 3 Year Parts and Labor Warranty
 Additional 2 Year Warranty on Compressor

- Standard 1/6 size, 4" deep condiment pans included
- e Romovable food covers available (optional)
- OPTIONAL ACCESSORIES
- 2.5" caster, N° dismission & 13 TPI; 30285H0100 (non-brisks), 30295H0200 (w) brisks)
 6" caster, N° dismission & 13 TPI; 31728500100 (non-brisks),

- ☐ 5° caster, ¼° diameter & 13 TPI; M72850010
 M728500200 eet brako;
 ☐ 6° ABG blands leg: 30221M0200
 ☐ 6° atsivieses steel leg: 30221M0500
 ☐ Additional stainiers steel for M727850100
 ☐ Rommotible fibrid cover. RCT-45
 ☐ Stainiese steel double oversthat* Y303-4R
- Substract digital transmissers extra lead time will apply processory for more details to order

Turbo Air: 800-627-0032 = GK: 800-500-3519

SIDE VIEW

* Warranty: 800-381 7770 * AC: 888 900-1002

13 nz (/47-ma)

Jurbo ale DEBURNE BRADIANCE GENVORD Turbo air

DULCE CAFE & GELATO #12

P84 - Double Grooved Top & Bottom



Features


- · Steinless steel construction
- (2) Separate cast iron plates (growed top and bottom)
 Thermostat centrol (1.20" to 570" F)
- . Bottom Plate messures 19" x 8 1/4"
- + 120V (2: 1750W plugs

Description

Create your most popular sandwiches, quesadilas, hamburgers, and more with the Aventce P84 quotie grooved commercial paint sandwich grill: This sandwich grill: Features 3500 wetts of heating power for fast and through cooking. The grooved grill plates provide tonicitizing grill marks for an excellent presentation, and its double still design. presentation, and its double grill design enhances your kitchen's efficiency. The temperature is individually adjustable between 120 and 570 degrees Fahrenheit to cook or warm a wide variety Fahrenhelt to cook or warm a wide variety of foods, while the staintess steel exterior and cast iron plates ensure long-testing durability and strength. And thanks to the included drip tray, cleaning up is a breeze after every use.

CE Listed. Comes with two cords with NEMA 5-15P plugs.





₫. We ਰ 80 Ħ 3 Panini Sandwich Gril

uile

U

22 7/16" x 12" x 8 W" 8 7/16" ± 16 7/8" 8 1/16" ± 18 3/16" 120" - 570° F (2) 1750W 120V

Temperatute Range Voltage Corr Length

Panini Sandwich Grill

Technical Data

Estandor Olimensiona

Lower Plate Dimensions


Care

- No harsh chemicals

4.25

no latest creamage.
 Regular seasoning will protong the life of your cast fron plates
 For best results clean with recommanded Notic Chemical Formula-D degresser and a scouring ped. (#147FORMULAD)





Recommended Companion Product



Attack tough gresse, oil, and carbon with this ready to use decembraizer and degreaser, its unique formula is designed to clean overs, grifts, hoods and a wide variety of other surfaces.